# Kids Furniture - Elle Chair



## **SPECIFICATIONS**



## Model EL11 Weight 7 lbs

\*Intended for indoor use only

#### **Dimensions**

Height 19.5" Overall Length 15.1" Overall Width 22.4" Seat Height 13"









## **DETAILS**

#### Color

Poppy, Canary, Fuchsia, Lily Pad, Grey Velvet, Cobalt

\*Due to differences in monitors, printers and materials, actual product colors may vary. Color chips are available for more accurate depiction of color.

## **Assembly**

None required

#### **Patents**

Patents Pending

#### **Fabrication & Material**

One-piece, rotationally-molded, specially formulated, high-impact polyethylene with ultraviolet light stabilizers (to reduce fading). The commercial-grade polyethylene material is also FDA-approved. Premium TruColor™ polymer is fully compounded for superior color consistency and durability. Made in USA.

#### Installation

None required

## Warranty

10 year limited replacement warranty

## Maintenance

For routine and regular cleaning maintenance, Norix recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

## **TESTING**

#### **Performance Test Standards**

Product tested to 300 lbs static load

## **Environmental Test Standards**

- GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.
- Compliant with Healthier Hospitals guidelines

## Flammability Test Standards

Compliant with the following flammability standards:

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- State of California, Technical Bulletin No. 117, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- •16CFR 1500-14 Flammability
- •16CFR 1303 Lead Content in Surface Coating
- CPSIN Sec 01 Lead Content in Substrate
- CPSIA Sec 08 Phthalate Content
- Meets or exceeds the requirements of ANSI/BIFMA X5.4-2012
- Meets or exceeds ASTM F963