

## SPECIFICATIONS



Model	Dimensions	Weight
MNE7-3675	(36"W x 75"L x 7"H)	28 lbs
MNE7-3680	(36"W x 80"L x 7"H)	28 lbs
MNE7-5480	(54"W x 80"L x 7"H)	33 lbs

Note: Dimensional tolerances are +/- one inch.

\*intended for indoor use only



## DETAILS

### Color

Navy

\*Due to differences in monitors, printers and materials, actual product colors may vary. Color chips are available for more accurate depiction of color.

### Assembly

Shipped assembled in poly bag

### Fabrication & Material

Sewn Seam Mattress

1.35 pcf (pounds per cubic foot) density convoluted foam offers plush comfort on one side while 1.5 pcf foam yields a more firm sleep surface on the other. A premium weight, polyurethane side rail surrounds the tempered high carbon steel wire innerspring unit and is protected by a spun-bonded polypropylene quilt cover. The 210 Denier Oxford Nylon mattress cover with laminated fire retardant (FR) barrier and polyurethane coating is moisture resistant, anti-bacterial, anti-fungal, crack resistant, stain resistant, anti-static and breathable. Anti-crease inverted seam uses FR Kevlar® thread for strength and durability. Made in the USA.

### Warranty

3 year limited replacement warranty

### Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress.
- Completely rinse with clean water (do not submerge).
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty).
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

## TESTING

### Environmental Test Standards

GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

### Flammability Test Standards

Compliant with the following flammability standards:

- CPSC 16 CFR 1633
- California Technical Bulletin #129
- California Technical Bulletin #603
- ASTM E 1590
- ACSC 1632/D.O.C. (FF 4-72)
- Boston Fire Department BFD IX-11