Comfort Shield® Remedy Mattress

Norix Blue





Finishes

See Design Guide for finish options.

Options

Mattress is available with single or double integrated pillow.

Assembly

Shipped assembled in poly bag.

Models	Weight		Dimensions		Height	
	lbs	kg	in	cm	in	cm
MRB6-2977	22	10	29" x 77"	73.7 x 195.6	6"	15.2
MRB6-3075	22	10	30" x 75"	76.2 x 190.5		
MRB6-3079	23	10.4	30" x 79"	76.2 x 200.7		
MRB6-3675	24	10.9	36" x 75"	91.4 x 190.5		
MRB6-3680	26	11.8	36" x 80"	91.4 x 203.2		
MRB6-3882	28.5	12.9	38" x 82"	96.5 x 208.3		

Note: Dimensional tolerances are +/- one inch.

Fabrication & Material

Sealed Seam Mattress

Comfortable polyurethane foam core is encased in a fire retardant polyurethane coated cover with radio frequency welded seams for enhanced hygiene, security and durability. Mattress is fluid, crack, peel, abrasion and bed bug resistant, antimicrobial, and anti-fungal. Provides a virus barrier and is resistant to delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Made in the U.S.A.

Warranty

5 year limited prorated warranty against seam failure and cover material cracking (Full warranty details available upon request).

Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress.
- Completely rinse with clean water (do not submerge).
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty).
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

Performance Test Standards

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

Environmental Test Standards

• GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Flammability Test Standards

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129



^{*}Intended for indoor use only