RockSmart[®] 16

SPECIFICATIONS

DETAILS **Finishes**

Options

Assembly

None required

None required

Installation

Patents



See Design Guide for finish options.

for more accurate depiction of color.

Heavier weight version available.

*Due to differences in monitors, printers and materials,

actual product colors may vary. Color chips are available

This product may be covered by US Patent

10,537,179 B2 and Patents Pending.

Dimensions Model Seat Height Weight Seat Width **Overall Height** Depth

17.5" 20.5" 41.4" 40.2" 25.5"



Fabrication & Material

*Intended for indoor use only

One-piece, rotationally-molded, specially formulated, high-impact polyethylene with ultraviolet light stabilizers (to reduce fading). Chemically resistant to blood, vinegar, urine, feces, salt solution and chlorine solution. Premium TruColor[™] polymer is fully compounded for superior color consistency and durability. Generous arc provides a relaxing and safe rocking action while securely affixed nylon runners protect floors. Rear bumper indicates the limits of safe rocking. Anti-ligature design with no internal openings. Made in the U.S.A.

Width

Warranty

RA16

49 lbs

10 year limited replacement warranty. The RockSmart® Rocker was designed to provide therapeutic rocking action. Nylon bumpers on the rear of the chair establish a stopping point to deter backward tipping. However, rocking aggressively may cause the chair to tip over. Do not stand on the RockSmart° chair.

Maintenance

For routine and regular cleaning maintenance, Norix[®] recommends the use of Simple Green[®] or an equivalent cleaning product. This product is bleach/water solution cleanable and suitable for use with hospital-grade disinfectants (such as Virex°, Wexcide° or Oxivir Five 16°) per manufacturers' instructions.

TESTING

Performance Test Standards:

- Tested to 500 lb static load
- Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")

Environmental Test Standards

• GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

• Compliant with Healthier Hospitals guidelines

Flammability Test Standards:

Compliant with the following flammability standards:

- State of California, Technical Bulletin No. 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- State of California, Technical Bulletin No. 117, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test method for Fire Testing of Real Scale Upholstered Furniture Items
- UL94 HB Test for Flammability of Plastic Materials
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

NORIX.COM

