

# SEATING GUIDE

2 0 2 1





ENGINEERED TO ENDURE®








**NORIX**



# Guest Seating

|                        | Stacking Guest Seating   |  |   | Guest Seating   |   |   |  |
|------------------------|--|--|---|---|---|---|--|
| Product Series         | <br>Integra | <br>Progress® | <br>Affinity | <br>Ultra-Max® | <br>Forté® | <br>Vesta™ | <br>Terra |
| Positioning            | Highly durable stacking chair  | Ergonomic stacking chair built for comfort   | Attractive and versatile stacking chair   | Value one-piece, highly durable chair   | Highly durable guest chair with optional upholstery   | Unique blend of ultra-safe design with beautiful curved surfaces and colors                   | Durable and customizable modern metal frame seating  |
| Material               | Polypropylene (PP)   | PP seat / optional upholstery / steel legs   | Steel frame & legs / upholstery seat / upholstered or wood back                               | TruColor™ Polyethylene (PE)   | TruColor™ PE / optional fabricated cushion  | TruColor™ PE / optional fabricated cushion  | Wood or PU arms / upholstery / steel frame   |
| Manufacturing Process  | Injection-molded   | Injection-molded seat with steel legs  | Round steel tubing with fabricated seat cushion   | Roto-molded PE  | Roto-molded PE with optional fabricated cushion   | Roto-molded PE with optional fabricated cushion   | Steel frame with upholstered cushions  |
| Arm/Armless            | Armless Only   | Armless Only   | Arm and Armless   | Arm and Armless   | Arm and Armless   | Arm and Armless   | Open, Half, Full Arm   |
| Upholstered            | No   | Optional   | Optional upholstered back   | No  | Optional  | Optional  | Yes  |
|                        |  |  |   |   |   |   |  |
| One-Piece Construction | Yes  | No   | No  | Yes   | Yes (Upholstered option separate)   | Yes (Upholstered option separate)   | No   |
| Weight                 | 7 lbs  | 10 lbs   | Armless 21 lbs<br>Arm 22 lbs  | Armless 16 lbs<br>Arm 20 lbs  | Armless 22 lbs<br>Arm 28 lbs  | Armless 24 lbs<br>Arm 30 lbs  | Varies by configuration  |
| Seat Width             | 17 ½"  | 19"  | Armless 18 ½"<br>Arm 18 ½"  | Armless 19"<br>Arm 17"  | Armless 21"<br>Arm 18 ⅝"  | Armless 21"<br>Arm 19"  | 22" and 30"  |
| Ballast Capable        | No   | No   | No  | Yes   | Yes   | Yes   | Weighted Plate   |
| Ballast Capacity       | N/A  | N/A  | N/A   | Up to 200 lbs (Rec. 50 lbs)   | Up to 200 lbs (Rec. 50 lbs)   | Up to 100 lbs (Rec. 50 lbs)   | 22" chair 25 lbs<br>30" chair 35 lbs   |
| Ganging Capable        | No   | No   | Yes   | Yes   | Yes   | No  | Yes  |
| Bolt-Down Capable      | No   | No   | No  | Yes   | Yes   | Yes   | Yes  |
| Non-Removable Glides   | No   | Friction-fit feet  | Injection-molded  | N/A   | Yes   | Yes   | Yes  |
| CAL TB133 Compliant    | Yes  | No   | Upholstered back upgradeable to TB133 / Wood back not TB133 compliant                         | Yes   | Molded chair standard / upholstery upgradeable  | Molded chair standard / upholstery upgradeable  | With upholstery upgrade  |
| Dynamic Drop Test      | N/A  | N/A  | Two times BIFMA 5.4 15.4.2  | Two times BIFMA 5.4 15.4.2  | Two times BIFMA 5.4 15.4.2  | Two times BIFMA 5.4 15.4.2  | Two times BIFMA 5.4 15.4.2   |
| BIFMA                  | X5.1 2002  | X5.1 2002  | X5.4-2012   | X5.1 2002   | No  | No  | X5.4-2012  |
| Static Load            | 300 lbs  | 500 lbs  | 500 lbs   | 750 lbs   | 750 lbs   | 750 lbs   | 750 lbs  |
| GREENGUARD             | GREENGUARD Gold  | GREENGUARD Gold  | GREENGUARD Gold   | GREENGUARD Gold   | GREENGUARD Gold   | GREENGUARD Gold   | GREENGUARD Gold  |
| Warranty               | Limited 10 year  | Limited 10 year  | Limited 10 year   | Limited 10 year   | Limited 10 year   | Limited 10 year   | Limited 10 year  |
| Healthier Hospitals    | Yes  | Yes  | Yes   | Yes   | Yes   | Yes   | Yes  |
| Anti-Ligature          | No   | No   | No  | Yes   | No  | Yes   | No   |









| Product Series         | <br>Vesta™ | <br>Forté® | <br>Wink™ | <br>Forma | <br>Hondo Nuevo® | <br>Element™ | <br>Harmony™ |
|------------------------|---|---|--|--|---|---|---|
| Positioning            | Unique blend of ultra-safe design with beautiful curved surfaces and colors                 | Durable PE with numerous base options. Upholstery options available                         | Value, durable PE upholstered chair  | Upholstered modular seating for a custom fit to your environment                             | High-performance molded vinyl modular seating   | Simple design built tough to withstand daily use  | Full line of aesthetically pleasing, durable furniture  |
| Material               | TruColor™ PE / optional fabricated cushion  | TruColor™ PE/ optional upholstery/ 3 base styles  | TruColor™ PE / upholstery  | Upholstered wood frame   | Vinyl seat / 3 base styles  | Wood frame / Nylon feet / Polyurethane arms / upholstered cushions                              | Heavy duty steel frame / upholstered cushions   |
| Manufacturing Process  | Roto-molded PE with optional fabricated cushion   | Roto-molded PE seat with optional fabricated cushion  | Roto-molded PE frame with fabricated cushion   | Fabricated   | Foam filled Roto-molded vinyl   | Fabricated  | Fabricated  |
| Arm/Armless            | Arm and Armless   | Arm and Armless   | Arm Only   | Arm and Armless  | Arm and Armless   | Arm Only  | Arm and Armless   |
| Upholstered            | Optional  | Optional  | Yes  | Yes  | No  | Yes   | Yes   |
| Base Options           | Roto-molded PE  | Plinth Roto PE / Steel / Wood frame   | Roto-molded PE   | Plinth Roto PE / Steel   | Plinth Roto PE / Steel / Roto-molded feet   | Injection-molded nylon feet   | Injection-molded nylon feet   |
| One-Piece Construction | Yes (Upholstered option separate)   | No  | No   | No   | No  | No  | No  |

|                           |  |                             |                            |                                  |   |                            |                                    |
|---------------------------|--|-----------------------------|----------------------------|----------------------------------|---|----------------------------|------------------------------------|
| High Back Version         | No   | No                          | No                         | No                               | Yes                                     | No                         | Yes                                |
| Bariatric Chair Available | No   | No                          | No                         | No                               | No                                      | No                         | Yes                                |
| Weight                    | Armless 30 lbs<br>Arm 34 lbs                   | Varies by customization     | 42 lbs                     | Varies by customization          | Varies by customization                 | Varies by customization    | Varies by customization            |
| Seat Width                | Armless 27"<br>Arm 21"                         | Armless 27"<br>Arm 22"      | 22"                        | Armless 24 ½"<br>Arm 23" - 23 ¾" | Armless 24" & 30"<br>Arm 21"            | 23" and 46"                | Armless 24"<br>Arm 23 ½"           |
| Ballast Capable           | Yes  | Plinth base only            | Yes                        | Yes                              | Plinth base only                        | No                         | No                                 |
| Ballast Capacity          | Up to 100 lbs (Rec. 50 lbs)                    | Up to 200 lbs (Rec. 50 lbs) | Up to 70 lbs (Rec. 50 lbs) | Up to 50 lbs (Rec. 50 lbs)       | Up to 50 lbs (Rec. 50 lbs)              | N/A                        | N/A                                |
| Ganging Capable           | No   | Yes                         | Yes                        | Yes                              | Yes                                     | No                         | No                                 |
| Bolt-Down Capable         | Yes  | Yes                         | Yes                        | Yes                              | Yes                                     | No                         | No                                 |
| Non-Removable Glides      | Yes  | Standard                    | Yes                        | Standard on Steel                | Standard on steel, molded and wood feet | Nylon feet                 | Nylon feet                         |
| CAL TB133 Compliant       | Molded chair standard / upholstery upgradeable | With upholstery upgrade     | With upholstery upgrade    | With upholstery upgrade          | Yes                                     | With upholstery upgrade    | With upholstery upgrade            |
| Dynamic Drop Test         | Two times BIFMA 5.4 15.4.2                     | Two Times BIFMA 5.4 15.4.2  | Two Times BIFMA 5.4 15.4.2 | N/A                              | Two Times BIFMA 5.4 15.4.2              | Two Times BIFMA 5.4 15.4.2 | Two Times BIFMA 5.4 15.4.2         |
| BIFMA                     | No   | No                          | X5.4-2012                  | X5.4-2012                        | X5.4-2005                               | X5.4-2012                  | X5.4-2012                          |
| Static Load               | 1,000 lbs                                      | 750 lbs                     | 750 lbs                    | 750 lbs                          | 750 lbs                                 | 1,000 lbs                  | 1,000 lbs                          |
| GREENGUARD                | GREENGUARD Gold                                | GREENGUARD Gold             | GREENGUARD Gold            | GREENGUARD Gold                  | GREENGUARD Gold                         | GREENGUARD Gold            | GREENGUARD Gold                    |
| Warranty                  | Limited 10 year                                | Limited 10 year             | Limited 10 year            | Limited 10 year                  | Limited 10 year                         | Limited 10 year            | Lifetime structural frame warranty |
| Healthier Hospitals       | Yes  | Yes                         | Yes                        | Yes                              | No                                      | Yes                        | Yes                                |
| Anti-Ligature             | Yes  | No                          | No                         | No                               | No                                      | No                         | No                                 |





|                        | In-Line Seating   |   |   | Rocker  | Stools  |   |
|------------------------|---|---|---|---|---|---|
| Product Series         |  |  |  |  |  |  |
|                        | Boulder™  | Gibraltar™  | Terra   | Rocksmart™  | Mix-Up™   | B-Side  |
| Positioning            | Value in-line beam seating  | Premium in-line beam seating  | Durable, modern, customizable in-line seating                                     | Unique one-piece rocker   | 5 different shapes for endless table and seating configurations                     | Durable, safe, easy to clean end table or seating                                   |
| Material               | TruColor™ PE seat / steel frame   | TruColor™ PE seat / steel frame   | Wood or PU arms / upholstery / steel frame  | TruColor™ Polyethylene (PE)   | TruColor™ PE base / upholstery  | TruColor™ Polyethylene (PE)   |
| Manufacturing Process  | Rounded Roto-molded PE seat with steel frame                                      | Square Roto-molded PE seat with steel frame                                       | Steel frame with upholstered cushions   | Roto-molded PE  | Roto-molded PE with upholstery  | Roto-molded PE  |
| Arm/Armless            | Arm Only  | Arm Only  | Open, Half, Full Arm  | Arm Only  | N/A   | N/A   |
| Upholstered            | No  | No  | Yes   | No  | Yes   | No  |
| One-Piece Construction | No  | No  | No  | Yes   | No  | Yes   |

|                      |                            |                            |                                      |                            |                            |                                |
|----------------------|----------------------------|----------------------------|--------------------------------------|----------------------------|----------------------------|--------------------------------|
| Weight               | Varies by configuration    | Varies by configuration    | Varies by configuration              | 49 & 51 lbs                | Varies by shape            | Square 12 lbs<br>Round 9 lbs   |
| Seat Width           | 17"                        | 20"                        | 22" and 30"                          | 21 ½" and 21 ¾"            | Varies by shape            | Square 18"<br>Round 18"        |
| Ballast Capable      | No                         | No                         | Weighted Plate                       | No                         | Yes                        | Yes                            |
| Ballast Capacity     | N/A                        | N/A                        | 22" chair 25 lbs<br>30" chair 35 lbs | N/A                        | Varies by shape            | Up to 100 lbs<br>(Rec. 50 lbs) |
| Ganging Capable      | No                         | No                         | Yes                                  | No                         | No                         | No                             |
| Bolt-Down Capable    | Yes                        | Yes                        | Yes                                  | No                         | Yes                        | Yes                            |
| Non-Removable Glides | Optional                   | Optional                   | Yes                                  | Protective Runners         | N/A                        | N/A                            |
| CAL TB133 Compliant  | Yes                        | Yes                        | With upholstery upgrade              | Yes                        | With upholstery upgrade    | Yes                            |
| Dynamic Drop Test    | Two times BIFMA 5.4 15.4.2 | Two times BIFMA 5.4 15.4.2 | Two times BIFMA 5.4 15.4.2           | Two times BIFMA 5.4 15.4.2 | Two times BIFMA 5.4 15.4.2 | Two times BIFMA 5.4 15.4.2     |
| BIFMA                | No                         | No                         | X5.4-2012                            | No                         | No                         | No                             |
| Static Load          | 1,000 lbs                  | 1,000 lbs                  | 750 lbs                              | 500 lbs                    | Varies by shape            | 300 lbs                        |
| GREENGUARD           | GREENGUARD Gold            | GREENGUARD Gold            | GREENGUARD Gold                      | GREENGUARD Gold            | GREENGUARD Gold            | GREENGUARD Gold                |
| Warranty             | Limited 10 year            | Limited 10 year            | Limited 10 year                      | Limited 10 year            | Limited 3 year             | Limited 10 year                |
| Healthier Hospitals  | Yes                        | Yes                        | Yes                                  | Yes                        | Yes                        | Yes                            |
| Anti-Ligature        | No                         | No                         | No                                   | No                         | Yes                        | No                             |

AT NORIX, WE DESIGN INNOVATIVE, ROBUST FURNITURE  
THAT MEETS THE REAL-WORLD NEED FOR HUMANIZING  
CHALLENGING ENVIRONMENTS.



Individual attributes vary by product. See specification sheet for details

# NORIX<sup>®</sup>

One Innovation Drive, West Chicago, Illinois 60185  
Phone: 630-231-1331 | Toll Free: 800-234-4900 | Fax: 630-231-4343  
1/21 | [furniture@norix.com](mailto:furniture@norix.com) ©2020 Norix Group, Inc.

**NORIX.COM**