

Terra

Sled Base Chair



Dimensions	in	cm
Seat Height	19"	48.3
Depth	26"	66
Upholstery		
*See pg. 2 for COM information.		

*View our upholstery selection on our website.
Fabric Grades B - H and COM available.

Finishes

See Design Guide for finish options.

Options

- TB133 Upholstery Upgrade
- Bolt-down Plate
- Factory Ballasting with Steel Plates

*25 lb (11.3 kg) plate for 22" (55.9 cm) chair.
*35 lb (15.9 kg) plate for 30" (76.2 cm) chair.
**Ballasting must be communicated at time of order.

Assembly

None required.

*Intended for indoor use only

Model	Arm Style	Weight		Width		Height	
		lbs	kg	in	cm	in	cm
TA1 (22" Seat)	Open Arm	51.5	23.4	26.5"	67.3	34.8"	88.4
	Half Arm	66.5	30.2				
	Full Arm	81.5	37				
TA2 (30" Seat)	Open Arm	64.3	29.2	34.5"	87.6	34.8"	88.4
	Half Arm	79.3	36				
	Full Arm	94.3	42.8				

Fabrication & Material

Frame: Welded steel frames

Cushions: Constructed of a 2.0 lb (0.9 kg) density seat foam wrapped in fabric with concealed staples.

Arm Caps: Hardwood (Maple, Teak, or Walnut color) or polyurethane in Raven

Arm Options: Open, Half Arm, & Full Arm panels are MDF, foam & fabric

Glides: Non-removable Nylon Glides

Warranty

10 year limited replacement.

Maintenance

Frame: Norix recommends the use of soap and water or cleaner made for stainless steel for both regular and deep cleaning.

Upholstery: Refer to upholstery manufacturer's cleaning instructions for specific fabric.

Installation

Required for bolt-down.

Performance Test Standards

- Meets or exceeds the requirements of ANSI/BIFMA X5.4-2012
- Tested to 750 lb (340.2 kg) static load
- Product dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 (250 lbs from 18")(113.4 kg from 45.7 cm).

Environmental Test Standards

- GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

Flammability Test Standards

- State of California, Technical Bulletin No. 117, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies.



TA1 (22" Seat)

Open Arm		
	yds	m ³
Total	2.3	2.1
Seat	1	0.9
Back	1.3	1.2

Half Arm		
	yds	m ³
Total	4	3.7
Seat	1	0.9
Back	1.3	1.2
Arms	1.7	1.6

Full Arm		
	yds	m ³
Total	5.62	5.1
Seat	1	0.9
Back	1.3	1.2
Arms	3.32	3

TA2 (30" Seat)

Open Arm		
	yds	m ³
Total	2.8	2.6
Seat	1	0.9
Back	1.8	1.2

Half Arm		
	yds	m ³
Total	4.5	4.1
Seat	1	0.9
Back	1.8	1.2
Arms	1.7	1.6

Full Arm		
	yds	m ³
Total	6.12	5.6
Seat	1	0.9
Back	1.8	1.2
Arms	3.32	3