# **Comfort Shield**<sup>®</sup> **Remedy Wedge Mattress** Silver Secure





Dimensions	in	cm
Head Height	10″	25.4
Foot Height	2″	5.1

## **Finishes**

See Design Guide for finish options.

#### **Options**

• Mattress is available without integrated pillow

## Assembly

Shipped assembled in poly bag.

\*Intended for indoor use only

Models	Weight		Dimensions	
	lbs	kg	in	cm
MRSW-3680	23.5	10.7	36" x 80"	91.4 x 203.2
MRSW-3882	23.5	10.7	38" x 82"	96.5 x 208.3

Note: Dimensional tolerances are +/- one inch.

### **Fabrication & Material**

#### Sealed Seam Wedge Mattress

Comfortable polyurethane foam core is encased in a fire retardant polyurethane coated cover with radio frequency welded seams for enhanced hygiene, security and durability. Mattress is fluid, crack, peel, abrasion and bed bug resistant, antimicrobial, and anti-fungal. Provides a virus barrier and is resistant to delaminating for greater infection control. Features a breathable vent that repels oil, water, blood, urine and other fluids. Made in the U.S.A.

#### Warranty

5 year limited prorated warranty against seam failure and cover material cracking. (Full warranty details available upon request.)

#### Maintenance

- Use hospital-grade cleaner or bleach/water solution on the entire mattress.
- Completely rinse with clean water (do not submerge).
- After cleaning, dry the mattress cover thoroughly. Do not place wet mattress onto a sleep surface; moisture may cause cover fabric damage (not covered by Limited Warranty).
- Contact Norix Customer Service for a mattress patch kit to address minor punctures and tears.

#### **Performance Test Standards**

- Tested to ASTM F1566 Hexagonal Roller Mattress Durability Test
- Tested to ASTM D751 Hydrostatic Resistance Test for Coated Fabrics

#### **Environmental Test Standards**

• GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

#### Flammability Test Standards

- 16 CFR Part 1633
- 16 CFR Part 1632
- California Technical Bulletin 129

